

Review



Sample Site, Sample Street, Anytown, UK



Reference:
Sample_Review

Grid reference:
123456 123456

Your reference:
Sample_Review

Date:
22 August 2025

Consultant's guidance and recommendations inside.

Written by:



J McColl MSc

j.mccoll@groundsure.com

Professional opinion

Key results



Low-Moderate

Contaminated land

Page 3 →

Acceptable risk - Groundsure has not identified any risks of concern relating to contaminated land liabilities.




Negligible

Flooding

Page 17 →

No flood risks of significant concern have been identified at the site.



Other results



Ground stability

Page 18

Not identified

Summary →



Radon

Page 19

Passed

Summary →



Planning constraints

Page 20

Identified

Summary →



Energy

Page 23

Identified

Summary →



Transportation

Page 31

Not identified

Summary →

All recommendations

Page 36

Appendix →

Dual layer assessment for confident site decisions


1
Your Review report uses the very best available environmental data to drive risk calculators developed by Groundsure specialists.

2
Contaminated land risk has been fully assessed by an expert Groundsure consultant (and reviewed by a second if needed for added assurance).

3
Have questions? Our experts are on hand to help you interpret the findings. [Contact us](#)



Recent aerial photograph



Aerial photography supplied by Getmapping PLC. © Copyright Getmapping PLC 2025. All Rights Reserved.

Capture Date: 15/06/2022

Site Area: 1.67ha

Review



Contaminated land ?

Low-Moderate

The Contaminated Land assessment has been completed by a qualified environmental consultant and includes a manual review of our extensive collection of high detailed Ordnance Survey maps and environmental data.

Section links

Consultant's assessment → Current/recent land use →
Past land use → Hydrogeology →

Past land use

Low-Moderate



Waste and landfill

Low

Current/recent land use

Low-Moderate



Operational environmental risk

Low-Moderate



Contaminated land liability

Banking security

Is it likely that the property will represent acceptable banking security from a contaminated land perspective?

Yes

Statutory or 3rd party action

Is there a risk of statutory (e.g. Part 2A EPA 1990) or third party action being taken against the site?

Unlikely

Environmental liability

Is there a risk that the property value may be impacted due to contaminated land liability issues?

Unlikely

Next steps

Groundsure considers there to be an acceptable level of risk at the site from contaminated land liabilities.

If you require further advice with regards to this, please contact our customer services team on 01273 257 755 or e-mail at info@groundsure.com



Contaminated land

Consultant's assessment ?

The Contaminated Land assessment has been completed by a qualified environmental consultant and includes a manual review of our extensive collection of high detailed Ordnance Survey maps and environmental data.

Section links

[Back to section summary](#) →

[Consultant's assessment](#) →

[Current/recent land use](#) →

[Past land use](#) →

[Hydrogeology](#) →

Environmental searches are designed to ensure that significant hazards and risks associated with this property are identified and considered alongside the investment in or purchase of a property.

Current and proposed land use

Current land use

Groundsure has been advised by the client (or their advisers) that the property is currently used as mixed commercial and residential purposes.

The site has been identified to comprise a C-shaped multi-storey building in the west, two-storey community centre and church buildings in the north and a two-storey elongated building along the eastern boundary. A further two-storey public house building and associated ancillary unit are located in the south and a row of residential lock-up garages are in the centre east. Soft landscaping is interspersed between areas of hardstanding across the remainder of the site, with the hardstanding providing access and parking to the plot.

Proposed land use

Groundsure has been advised that the property will remain in its current use.

Site location

The site lies within a residential area of Luton.

Historical land use

On-site

The site history, based on a review of Groundsure's high detailed historical mapping, is as follows:

- **1880** - The site comprised a plot of open land.
- **1899 - 1989** - A review of historical mapping revealed no significant changes to the site during this time.
- **1991** - The site had been developed and comprised buildings in the north and south as well as an elongated building along the eastern boundary. A row of residential lock-up garages had also been erected in the centre east.
- **1993 - 1995** - No significant changes were identified.
- **2002** - (Aerial photography) - A C-shaped building was under construction in the west.
- **2003** - (Aerial photography) - The construction had been completed, bringing the property to resemble its current format.

Surrounding area

No potentially contaminative land uses have been identified in proximity to the study site.

Environmental permits and register entries

A historical Part A(2)/B Authorisation of minor concern has been identified on site for dry cleaning processes.

No entries on the Local Authority's Contaminated Land Register have been identified within 250m of the site.



Site setting and overall environmental sensitivity

The site is situated on the underlying geology comprising undifferentiated bedrock layers of the Holywell Nodular Chalk and New Pit Chalk Formations. Groundwater mapping indicates the bedrock layers to be classified as a Principal aquifer.

Potentially vulnerable receptors have been identified including site users, residents of nearby dwellings with gardens and the underlying aquifer, identified to lie within a Source Protection Zone 2. Groundsure considers that the property has a high environmental sensitivity.


Operational environmental risk

Using recent mapping, aerial photography and the data in this report we consider the site to have a Low-Moderate ongoing operational environmental risk.

As the site does not appear to be in current industrial use, there is unlikely to be a significant risk of Environmental Damage at the property. However, if you require an assessment of operational risk at the property, please contact Groundsure for further advice.

Conclusion

Groundsure has not identified a potential contaminant-pathway-receptor relationship that is likely to give rise to significant environmental liability. The study site is considered unlikely to be subject to individual statutory investigation, and Groundsure therefore concludes that the site represents an Acceptable Environmental Risk. Please refer to the Groundsure Risk Assessment Methodology contained within this report.





Contaminated land data summary

Past land use	On-Site	0-50m	50-250m
Former industrial land use (1:10,560 and 1:10,000 scale)	0	0	0
Former tanks	0	0	0
Former energy features	0	6	8
Former petrol stations	0	0	0
Former garages	0	0	0
Former military land	0	0	0
Waste and landfill	On-Site	0-50m	50-250m
Active or recent landfill	0	0	0
Former landfill (from Environment Agency Records)	0	0	0
Former landfill (from Local Authority and historical mapping records)	0	0	0
Waste site no longer in use	0	0	0
Active or recent licensed waste sites	0	0	0
Current and recent land use	On-Site	0-50m	50-250m
Recent industrial land uses	0	2	4
National Geographic Database (NGD) - Current or recent tanks	0	0	0
Current or recent petrol stations	0	0	0
Historical licensed industrial activities	0	0	0
Current or recent licensed industrial activities	0	0	0
Local Authority licensed pollutant release	1	0	0
Pollutant release to surface waters	0	0	0
Pollutant release to public sewer	0	0	0
Dangerous industrial substances (D.S.I. List 1)	0	0	0
Dangerous industrial substances (D.S.I. List 2)	0	0	0
Dangerous or explosive sites	0	0	0
Hazardous substance storage/usage	0	0	0
Sites designated as Contaminated Land	0	0	0
Pollution incidents	0	0	0



Contaminated land
Past land use ?

Low-Moderate

The data summarised in this section relates to potentially contaminative land uses and operations that happened historically at and around the site.

- Section links
- Back to section summary →

Consultant's assessment →

Past land use →

Current/recent land use →

Hydrogeology →



— Site Outline

Search buffers in metres (m)

Former energy features

Former energy features

Energy features such as substations, transformers or power stations have been identified from high detailed historical Ordnance Survey maps dating from the mid to late 1800s to recent times. Structures like this can sometimes cause soil or groundwater contamination.

Distance	Direction	Use	Date
11 m	SW	Electricity Substation	1993
11 m	SW	Electricity Substation	1994
12 m	SW	Electricity Substation	1991

Review



Distance	Direction	Use	Date
44 m	SW	Electricity Substation	1993
44 m	SW	Electricity Substation	1994
45 m	SW	Electricity Substation	1991
84 m	N	Electricity Substation	1993
84 m	N	Electricity Substation	1994
84 m	N	Electricity Substation	1994
84 m	N	Electricity Substation	1995
84 m	N	Electricity Substation	1995
84 m	N	Electricity Substation	1996
84 m	N	Electricity Substation	1996
178 m	SE	Electricity Substation	1991

This data is sourced from Ordnance Survey/Groundsure.




Contaminated land

Current and recent land use ?

Low-Moderate

The data summarised in this section relates to current and recent commercial and industrial land uses and operations that could have the potential to cause ground contamination risks.

- Section links
- Back to section summary →
 - Consultant's assessment → Current/recent land use →
 - Past land use → Hydrogeology →



— Site Outline

Search buffers in metres (m)

- Recent industrial land uses
- Local Authority licensed pollutant release

Recent industrial land uses

These records show details of businesses that have recently operated, or are currently operating in the area. Depending on the type of activities taking place, some of these businesses could present a risk of contamination.

ID	Distance	Direction	Company / Address	Activity	Category
2	12 m	SW	Electricity Sub Station - Bedfordshire, LU2	Electrical Features	Infrastructure and Facilities
3	44 m	SW	Electricity Sub Station - Bedfordshire, LU2	Electrical Features	Infrastructure and Facilities

Review



ID	Distance	Direction	Company / Address	Activity	Category
4	93 m	N	Electricity Sub Station - Bedfordshire, LU2	Electrical Features	Infrastructure and Facilities
5	96 m	SW	Bedfordshire Clearances - 6, Edkins Close, Luton, Bedfordshire, LU2 7SS	Waste Storage, Processing and Disposal	Infrastructure and Facilities
6	134 m	SW	Autotune - 35, Kidner Close, Luton, Bedfordshire, LU2 7SX	Vehicle Repair, Testing and Servicing	Repair and Servicing
7	175 m	SE	Electricity Sub Station - Bedfordshire, LU2	Electrical Features	Infrastructure and Facilities

This data is sourced from Ordnance Survey.

Local Authority licensed pollutant release

Industrial facilities that release pollutants to the environment (air, land or water) may be regulated by the Local Authority and hold a Part A(2) or Part B process authorisation or licence. These processes could include the burning of waste oils, paint spraying and petrol vapour recovery. There could be a risk of ground contamination if harmful materials associated with these processes are not stored and handled correctly.

ID	Distance	Direction	Address	Local Authority	Processes Undertaken	Permit Type	Details of Enforcement
1	0	on site	Clean and Klick, Hancock Drive, LU2 7SF	Luton Borough Council	Dry Cleaning	Part B	Enforcement: No Enforcements Notified Date of Enforcement: No Enforcements Notified Comment: No Enforcements Notified

This data is sourced from Local Authorities.



Contaminated land
Superficial hydrogeology ?

The data summarised in this section relates to underground water resources (aquifers) within surface drift geology that may be sensitive to any ground contamination.

Section links


Back to section summary →

Consultant's assessment →

Past land use →

Current/recent land use →

Hydrogeology →



Aquifers within superficial geology

The Environment Agency/Natural Resources Wales and the British Geological Survey have assigned designations or types to the aquifers that exist within superficial geology. These designations reflect the importance of aquifers in terms of groundwater as a resource (eg drinking water supply) but also their role in supporting surface water flows and wetland ecosystems.

- Principal** - These are layers of rock or superficial deposits that usually provide a high level of water storage.
- Secondary A** - Permeable layers capable of supporting water supplies at a local rather than strategic scale.
- Secondary B** - Predominantly lower permeability layers which may store and yield limited amounts of groundwater.
- Secondary Undifferentiated** - Has been assigned in cases where it has not been possible to attribute either category A or B to a rock type.
- Unproductive** - These are rock layers with low permeability that have negligible significance for water supply.

Review



Unknown - These are rock layers where it has not been possible to classify the water storage potential.

Distance	Direction	Designation
67 m	NE	Secondary Undifferentiated
154 m	SE	Secondary A

This data is sourced from the Environment Agency/Natural Resources Wales and the British Geological Survey.



Contaminated land
Bedrock hydrogeology ?


The data summarised in this section relates to underground water resources (aquifers) within bedrock geology that may be sensitive to any ground contamination.

Section links

[Back to section summary](#) →

[Consultant's assessment](#) → [Current/recent land use](#) →

[Past land use](#) → [Hydrogeology](#) →



Aquifers within bedrock geology

The Environment Agency/Natural Resources Wales and the British Geological Survey have assigned designations or types to the aquifers that exist within bedrock geology. These designations reflect the importance of aquifers in terms of groundwater as a resource (eg drinking water supply) but also their role in supporting surface water flows and wetland ecosystems.

- Principal** - These are layers of rock or superficial deposits that usually provide a high level of water storage.
- Secondary A** - Permeable layers capable of supporting water supplies at a local rather than strategic scale.
- Secondary B** - Predominantly lower permeability layers which may store and yield limited amounts of groundwater.
- Secondary Undifferentiated** - Has been assigned in cases where it has not been possible to attribute either category A or B to a rock type.
- Unproductive** - These are rock layers with low permeability that have negligible significance for water supply.

Review



Distance	Direction	Designation
----------	-----------	-------------

0 on site Principal

This data is sourced from the Environment Agency/Natural Resources Wales and the British Geological Survey.

Bedrock geology

Bedrock geology is a term used for the main mass of rocks forming the Earth and is present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water. This information comes from the BGS 1:50,000 Digital Geological Map of Great Britain, where available.

Description	BGS LEX Code	Rock Type
-------------	--------------	-----------

HOLYWELL NODULAR CHALK FORMATION AND NEW PIT CHALK FORMATION (UNDIFFERENTIATED)	HNCK-CHLK	CHALK
---	-----------	-------

This data is sourced from British Geological Survey.



Contaminated land


Source Protection Zones and drinking water abstractions ?

The data summarised in this section relates to any water abstractions or protected areas associated with underground water resources (aquifers) in the area.

Section links

- Consultant's assessment → Current/recent land use →
- Past land use → Hydrogeology →

[Back to section summary](#) →



Source Protection Zones

The Environment Agency / Natural Resources Wales has defined Source Protection Zones (SPZs) for groundwater sources such as wells, boreholes and springs used for public drinking water supply. These zones show the risk of contamination from any activities that might cause pollution in the area. The closer the activity, the greater the risk. There are three main zones (inner (SPZ 1), outer (SPZ 2) and total catchment (SPZ 3)) and a fourth zone of special interest.

Distance	Direction	Details
0	on site	Zone: 2 Description: Outer catchment

Review



Distance	Direction	Details
----------	-----------	---------

0on site

Zone: 3
Description: Total catchment

This data is sourced from the Environment Agency/Natural Resources Wales.



Flooding

Negligible

No significant concerns have been identified as a result of the flood risk searches. No action required.

River and coastal flooding	Very Low	Past flood events	Not identified
Groundwater flooding	Low	Flood storage areas	Not identified
Surface water flooding	Negligible	Floodscore™ insurance rating	Very Low

National Planning Policy Framework (NPPF)

Will any NPPF Flood Risk Assessment be required if the site is redeveloped?

Yes

National Planning Policy Framework (NPPF)

A full flood risk assessment will be required at the site in the event that it will be developed/redeveloped. The NPPF states that the flood risk assessment should identify and assess the risks of all forms of flooding to and from the development and demonstrate how these flood risks will be managed so that the development remains safe throughout its lifetime, taking climate change into account. Those proposing developments should take advice from the emergency services when producing an evacuation plan for the development as part of the flood risk assessment.

Next steps

Flooding


None required.



Ground stability ?

Not identified

No significant concerns have been identified as a result of the ground stability searches. No action required.



Natural ground stability

Negligible-Very low

Non-natural ground stability

Not identified

Next steps

Ground stability
None required.


Review



Radon

Passed

Local levels of radon are considered normal. However, if an underground room makes up part of the accommodation, the property should be tested regardless of radon Affected Area status.



Next steps

Radon
None required.



Planning constraints ?

Identified

Protected areas have been identified within 250 metres of the property.

Section links

Planning constraints	→			

Next steps

Planning constraints
None required.



Planning constraints ?


Identified

Protected areas have been identified within 250 metres of the property.

Section links

Back to section summary →

Planning constraints →



- Site Outline
- Search buffers in metres (m)
- Listed buildings
- Certificates of immunity from listing
- Conservation areas
- National Parks
- Areas of Outstanding Natural Beauty
- Registered parks and gardens
- Scheduled Monuments
- World Heritage Sites
- Internationally important wetland sites (Ramsar Sites)
- Designated Ancient Woodland
- Sites of Special Scientific Interest
- Green Belt
- Local Nature Reserves
- Special Areas of Conservation
- National Nature Reserves
- Special Protection Areas (for birds)

Green Belt

Green Belts are intended to prevent inappropriate development by keeping certain areas of land open. The fundamental purpose of Green Belt is to prevent continued growth and merging of urban areas, hence the majority of Green Belt land being located on the fringe of large towns and cities, extending into the countryside. Whilst development can happen in the Green Belt, it should be subject to greater controls on the type and size of the development. However, the presence of a Green Belt designation is not in itself a complete barrier to development and the Local Plan should be consulted if a purchaser is concerned about any potential development in these areas.

Distance	Direction	Green Belt Name	Data Source
195 m	E	London Green Belt	Luton

Review



This data is sourced from Local Authorities (Green Belt data contains Ordnance Survey data © Crown copyright and database right 2025). For more information please see <https://www.gov.uk/guidance/national-planning-policy-framework/9-protecting-green-belt-land>



Energy ?

Identified

The property has been identified to lie within the search radius of one or more energy features detailed below.

Section links

Wind and solar →

Oil and gas

No historical, active or planned wells or extraction areas have been identified near the property.

Oil and gas areas

Not identified

Oil and gas wells

Not identified

Wind and solar

Our search of existing and planned renewable wind and solar infrastructure has identified results.

Planned multiple wind turbines

Not identified

Planned single wind turbines

Identified →

Existing wind turbines

Not identified

Proposed solar farms

Identified →

Existing solar farms

Identified →

Energy Infrastructure

Our search of major energy transmission or generation infrastructure and nationally significant infrastructure projects has not identified results.

Power stations

Not identified

Energy infrastructure

Not identified

Projects

Not identified

Next steps

Wind

Existing or proposed wind installations have been identified within 5km.

- use the details given in the report to find out more about the potential impacts on the property
- contact the operating company and the relevant Local Authority for further information
- visit the area in order to more accurately assess the impact this wind development would have on the property



Next steps continued

Solar

Existing or proposed solar installations have been identified within 5km of the property.

- use the details given in the report to find out more about the potential impacts on the property by contacting the operating company and/or Local Authority
- visit the area in order to more accurately assess the impact this solar farm would have on the property



Energy
Wind and solar ?


Identified

The data summarised in this section relates to the location of current and planned wind farms/turbines and solar farms.

Section links

Back to section summary →

Wind and solar →



Proposed wind turbines

Planning applications for individual wind turbines have been proposed within 5,000m of the property. See below for details of the operating company, number of turbines, project and turbine capacity.

Please note some planning applications identified as having been refused may have subsequently been granted on appeal without appearing as such within this report. Additionally, please be aware that as the identified records are taken from a planning record archive, the proposals identified may have already been undertaken.

Review



ID	Distance	Direction	Details
1	3-4 km	SE	Site Name: Crawley Green Infant School, 47 Beaconsfield, Luton, Luton, Bedfordshire, LU2 0RW Planning Application Reference: 07/01827/FUL Type of Project: Wind Turbine Application Date: 2007-11-27 Planning Stage: Plans Approved Detail Plans Granted Project Details: Scheme comprises construction of 1 wind turbine mounted on a 15m high mast, with associated works and 1 solar array. Approximate Grid Reference: 510592, 221607

This information is derived from planning data supplied by Serac Tech and Glenigan, in some cases with further accuracy applied by Groundsure's experts. This search includes planning applications for single wind turbines only, within 5,000m of the property. This data is updated on a quarterly basis.

If the existence of a planning application, passed or refused, may have a material impact with regard to the decision to purchase the property, Groundsure recommends independent, thorough enquiries are made with the Local Authority. If any applications have been identified within this report, Groundsure have included the planning reference to enable further enquiries to be made.

Existing and agreed solar installations

There is an operational or planned solar photovoltaic farm or smaller installation located near the property.

Please note this will not include small domestic solar installations. See below for details on installed capacity, operating company and the status of the project on a given date.

ID	Distance	Direction	Address	Details
2	4-5 km	E	Wandon End - Solar Farm & Battery Storage, Ne/O Wandon End, Luton, LU2 8PU	Contractor: EPL 002 Limited LPA Name: North Hertfordshire Capacity (MW): 49.9 Application Date: 05/01/2023 Pre Consent Status: Planning Application Submitted Post Consent Status: Application Submitted Date Commenced: -
5	4-5 km	W	Vauxhall Motors, Vauxhall Motors, Luton Road, Chalton, Luton, LU4 9TT	Contractor: Perpetum Sun LPA Name: Central Bedfordshire Capacity (MW): 5 Application Date: 21/09/2015 Pre Consent Status: Abandoned Post Consent Status: Abandoned Date Commenced: -

The solar installation data is supplied by the Department for Business, Energy & Industrial Strategy and is updated on a monthly basis.

Review



Proposed solar installations

There is a planning permission application relating to a solar farm or smaller installation near to the property.

Please note this will not include small domestic solar installations and that one site may have multiple applications for different aspects of their design and operation. Also note that the presence of an application for planning permission is not an indication of permission having been granted. Please be aware that as the identified records are taken from a planning record archive, the proposals identified may have already been undertaken. See below for details of the proposals.

ID	Distance	Direction	Address	Details	
3	4-5 km	SE	London Luton Airport Airport Way Luton	Applicant name: - Application Status: Approved Application Date: 14/07/2025 Application Number: 25/00736/GPDOPD	Consultation under Schedule 2 Part 8 Class F of the Town and Country Planning (General Permitted Development) Order 2015 - London Luton Airport to construct a solar farm within the operational area of London Luton Airport (LLA).
4	4-5 km	SE	London Luton Airport Airport Way Luton	Applicant name: - Application Status: Approved Application Date: 02/06/2025 Application Number: 25/00592/GPDOPD	Consultation in respect of works to be installed pursuant to Condition F.2, Class F of Part 8 of Schedule 2 of the Town and Country Planning (General Permitted Development) Order 2015 (as amended) - To allow a direct connection from a proposed solar farm at Land North East of Wandon End (the 'Solar Project') to Luton Airport.
6	4-5 km	SE	London Luton Airport, Airport Way, Luton	Applicant name: Marc Wolman Application Status: GPDO consultation Application Date: 07/11/2023 Application Number: 23/01314/GPDOPD	Consultation under Schedule 2 Part 8 Class F of the Town and Country Planning (General Permitted Development) Order 2015 - London Luton Airport to construct a solar farm, London Luton Airport (LLA).
7	4-5 km	SE	London Luton Airport, Airport Way, Luton	Applicant name: Marc Wolman Application Status: Screening Opinion Application Date: 17/07/2023 Application Number: 23/00906/EIASCR	Request for screening pursuant to Regulation 6 of the Town and Country Planning (Environmental Impact Assessment) (England) Regulations 2017 (as amended) - construction of a solar farm within operational area of London Luton Airport (LLA)
8	4-5 km	SE	Land South of Luton Airport, Luton	Applicant name: None Application Status: EIA - Screening Opinion Application Date: 18/07/2023 Application Number: CB/23/02381/SCN	SCN EIA Screening Opinion: installation of a Solar Farm

Review



ID	Distance	Direction	Address	Details	
9	4-5 km	SE	London Luton Airport, Airport Way, Luton	Applicant name: Marc Wolman Application Status: GPDO consultation Application Date: 17/07/2023 Application Number: 23/00905/GPDOPD	Consultation under Schedule 2 Part 8 Class F of the Town and Country Planning (General Permitted Development) Order 2015 - London Luton Airport to construct a solar farm within the operational area of London Luton Airport (LLA).
10	4-5 km	E	Land North East Of Wandon End, Hertfordshire	Applicant name: Luton Borough Council Application Status: Adjoining Authorities Consultation Application Date: 19/01/2024 Application Number: 24/00123/ADJ	Underground cables proposed under Eaton Green Road to connect to an existing sub-station (located in Luton Councils administrative area) and to a proposed solar farm within 106 hectares with associated access, landscaping, battery storage and ancillary infrastructure (located in North Hertfordshire District Councils administrative area)(Cross Boundary Application)(EIA development) NORTH HERTS DISTRICT COUNCIL: ADJACENT AUTHORITY : CONSULTEE ONLY
11	4-5 km	NW	Sundon Reservoir, Streatley Road, Sundon, Lu3 3ph	Applicant name: - Application Status: Approved Application Date: 21/05/2025 Application Number: CB/25/01192/DOC	Discharge of Condition 14 against planning permission ref. CB/23/02682/VOC (Variation of condition numbers 2, 4, 5, 7, 8, 15 and 16 of planning permission CB/21/04277/FULL (Installation of conditioning plant and buildings, to include widening of existing access at reservoir site and solar photovoltaic panels with all associated works.) Variation sought to silo colours, change to previously agreed plans, layout, landscaping, vehicular access, ecological enhancement, biodiversity and drainage)

Review



ID	Distance	Direction	Address	Details	
12	4-5 km	NW	Sundon Reservoir, Streatley Road, Sundon	Applicant name: Mr Stephane Pochet Application Status: Variation of Condition Application Date: 11/08/2023 Application Number: CB/23/02682/VOC	Variation of condition numbers 2, 4, 5, 7, 8, 15 and 16 of planning permission CB/21/04277/FULL (Installation of conditioning plant and buildings, to include widening of existing access at reservoir site and solar photovoltaic panels with all associated works.) Variation sought to silo colours, change to previously agreed plans, layout, landscaping, vehicular access, ecological enhancement, biodiversity and drainage.
13	4-5 km	E	Land North East Of Wandon End, Eaton Green Road, Luton	Applicant name: EPL 002 Limited Application Status: Full app with Environ. Statement Application Date: 13/12/2023 Application Number: 22/01657/FULEIA	Underground cables proposed under Eaton Green Road to connect to an existing sub-station (located in Luton Councils administrative area) and to a proposed solar farm within 106 hectares with associated access, landscaping, battery storage and ancillary infrastructure (located in North Hertfordshire District Councils administrative area)(Cross Boundary Application)(EIA development)
14	4-5 km	NW	Sundon Reservoir, Streatley Road, Sundon, LU3 3PH	Applicant name: Affinity Water Application Status: Discharge of Condition Application Date: 01/05/2024 Application Number: CB/24/01279/DOC	Discharge of Condition 1 against planning permission ref. CB/23/02682/VOC (Variation of condition numbers 2, 4, 5, 7, 8, 15 and 16 of planning permission CB/21/04277/FULL (Installation of conditioning plant and buildings, to include widening of existing access at reservoir site and solar photovoltaic panels with all associated works.) Variation sought to silo colours, change to previously agreed plans, layout, landscaping, vehicular access, ecological enhancement, biodiversity and drainage.)

Review



ID	Distance	Direction	Address	Details	
15	4-5 km	NW	Sundon Reservoir, Streatley Road, Sundon	Applicant name: No Details Application Status: Registered Application Date: 09/11/2021 Application Number: CB/21/04277/FULL	Installation of conditioning plant and buildings, to include widening of existing access at reservoir site and solar photovoltaics panels with all associated works.
16	4-5 km	NW	Sundon Reservoir, Streatley Road, Sundon	Applicant name: No Details Application Status: Discharge of Condition Application Date: 22/07/2022 Application Number: CB/22/02980/DOC	Discharge of Conditions 7 and 8 against planning permission CB/21/04277/FULL (Installation of conditioning plant and buildings, to include widening of existing access at reservoir site and solar photovoltaics panels with all associated works)
17	4-5 km	E	Land North East Of Wandon End, Hertfordshire	Applicant name: Epl 002 Limited Application Status: Full Planning Permission Application Date: 05/01/2023 Application Number: 22/03231/FP	Proposed solar farm within 106 hectares with associated access, landscaping, battery storage and ancillary infrastructure


This data is sourced from Serac Tech and Glenigan.



Transportation ?

Not identified

The property has not been identified to lie within the specified distance of one or more of the transportation features detailed below.



HS2

No results for Phase 1 or Phase 2 of the HS2 project (including the 2016 amendments) have been identified within 5km of the property. However, HS2 routes are still under consultation and exact alignments may change in the future.

Visual assessments are only provided by Groundsure if the property is within 2km of Phase 1 and 2a. Other assessments may be available from HS2.

HS2 route

Not identified

HS2 safeguarding

Not identified

HS2 stations

Not identified

HS2 depots

Not identified

HS2 noise

Not assessed

HS2 visual impact

Not assessed

Crossrail

The property is not within 250 metres of the Crossrail 2 project.

Crossrail 2 route

Not identified

Crossrail 2 stations

Not identified

Crossrail 2 worksites

Not identified

Crossrail 2 safeguarding

Not identified

Crossrail 2 headhouse

Not identified

Other railways

The property is not within 250 metres of any active or former railways, subway lines, DLR lines, subway stations or railway stations.

Active railways and tunnels

Not identified

Historical railways and tunnels

Not identified

Railway and tube stations

Not identified

Underground

Not identified



Next steps

Transportation
None required.



Datasets searched

This is a full list of the data searched in this report. If we have found results of note we will state "Identified". If no results of note are found, we will state "Not identified". Our intelligent filtering will hide "Not identified" sections to speed up your workflow.

Contaminated Land		Contaminated Land	
Former industrial land use (1:10,560 and 1:10,000 scale)	Not identified	Dangerous industrial substances (D.S.I. List 2)	Not identified
Former tanks	Not identified	Pollution incidents	Not identified
Former energy features	Identified	Superficial hydrogeology	
Former petrol stations	Not identified	Aquifers within superficial geology	Identified
Former garages	Not identified	Superficial geology	Not identified
Former military land	Not identified	Bedrock hydrogeology	
Former landfill (from Local Authority and historical mapping records)	Not identified	Aquifers within bedrock geology	Identified
Waste site no longer in use	Not identified	Groundwater abstraction licences	Not identified
Active or recent landfill	Not identified	Bedrock geology	Identified
Former landfill (from Environment Agency Records)	Not identified	Source Protection Zones and drinking water abstractions	
Active or recent licensed waste sites	Not identified	Source Protection Zones	Identified
Recent industrial land uses	Identified	Source Protection Zones in confined aquifer	Not identified
National Geographic Database (NGD) - Current or recent tanks	Not identified	Drinking water abstraction licences	Not identified
Current or recent petrol stations	Not identified	Hydrology	
Dangerous or explosive sites	Not identified	Water courses from Ordnance Survey	Not identified
Hazardous substance storage/usage	Not identified	Surface water abstractions	Not identified
Sites designated as Contaminated Land	Not identified	Flooding	
Historical licensed industrial activities	Not identified	Risk of flooding from rivers and the sea	Not identified
Current or recent licensed industrial activities	Not identified	Flood storage areas: part of floodplain	Not identified
Local Authority licensed pollutant release	Identified	Historical flood areas	Not identified
Pollutant release to surface waters	Not identified	Reduction in Risk of Flooding from Rivers and Sea due to Defences	Not identified
Pollutant release to public sewer	Not identified	Flood defences	Not identified
Dangerous industrial substances (D.S.I. List 1)	Not identified		

Review



Flooding		Planning constraints	
Surface water flood risk	Not identified	National Parks	Not identified
Groundwater flooding	Not identified	Conservation Areas	Not identified
Ambiental FloodScore™ insurance rating	Not identified	Listed Buildings	Not identified
Flood map for planning	Not identified	Certificates of Immunity from Listing	Not identified
		Scheduled Monuments	Not identified
		Registered Parks and Gardens	Not identified
Natural ground subsidence		Oil and gas	
Natural ground subsidence	Not identified	Oil or gas drilling well	Not identified
Natural geological cavities	Not identified	Proposed oil or gas drilling well	Not identified
		Licensed blocks	Not identified
		Potential future exploration areas	Not identified
Non-natural ground subsidence		Wind and solar	
Coal mining	Not identified	Wind farms	Not identified
Non-coal mining areas	Not identified	Proposed wind farms	Not identified
Non-coal mining	Not identified	Proposed wind turbines	Identified
Mining cavities	Not identified	Existing and agreed solar installations	Identified
Infilled land	Not identified	Proposed solar installations	Identified
Cheshire Brine	Not identified		
Radon		Energy	
Radon	Not identified	Electricity transmission lines and pylons	Not identified
		National Grid energy infrastructure	Not identified
		Power stations	Not identified
		Nuclear installations	Not identified
		Large Energy Projects	Not identified
Planning constraints		Transportation	
Sites of Special Scientific Interest	Not identified	HS2 route: nearest centre point of track	Not identified
Internationally important wetland sites (Ramsar Sites)	Not identified	HS2 route: nearest overground section	Not identified
Special Areas of Conservation	Not identified	HS2 surface safeguarding	Not identified
Special Protection Areas (for birds)	Not identified		
National Nature Reserves	Not identified		
Local Nature Reserves	Not identified		
Designated Ancient Woodland	Not identified		
Green Belt	Identified		
World Heritage Sites	Not identified		
Areas of Outstanding Natural Beauty	Not identified		



Transportation

HS2 subsurface safeguarding	Not identified
HS2 Homeowner Payment Zone	Not identified
HS2 Extended Homeowner Protection Zone	Not identified
HS2 stations	Not identified
HS2 depots	Not identified
HS2 noise and visual assessment	Not identified
Crossrail 2 route	Not identified
Crossrail 2 stations	Not identified
Crossrail 2 worksites	Not identified
Crossrail 2 headhouses	Not identified
Crossrail 2 safeguarding area	Not identified
Active railways	Not identified
Railway tunnels	Not identified
Active railway stations	Not identified
Historical railway infrastructure	Not identified
Abandoned railways	Not identified
London Underground and DLR lines	Not identified
London Underground and DLR stations	Not identified
Underground	Not identified
Underground stations	Not identified



Appendix



Contaminated land

Page 3 →

Low-Moderate

Next steps

Groundsure considers there to be an acceptable level of risk at the site from contaminated land liabilities.

If you require further advice with regards to this, please contact our customer services team on 01273 257 755 or e-mail at info@groundsure.com



Flooding

Page 17 →

Negligible

National Planning Policy Framework (NPPF)

A full flood risk assessment will be required at the site in the event that it will be developed/redeveloped. The NPPF states that the flood risk assessment should identify and assess the risks of all forms of flooding to and from the development and demonstrate how these flood risks will be managed so that the development remains safe throughout its lifetime, taking climate change into account. Those proposing developments should take advice from the emergency services when producing an evacuation plan for the development as part of the flood risk assessment.



Energy

Page 23 →

Identified

Next steps

Wind

Existing or proposed wind installations have been identified within 5km.

- use the details given in the report to find out more about the potential impacts on the property
- contact the operating company and the relevant Local Authority for further information
- visit the area in order to more accurately assess the impact this wind development would have on the property

Solar

Existing or proposed solar installations have been identified within 5km of the property.

- use the details given in the report to find out more about the potential impacts on the property by contacting the operating company and/or Local Authority
- visit the area in order to more accurately assess the impact this solar farm would have on the property



Methodologies and limitations

Groundsure's methodologies and limitations are available here: knowledge.groundsure.com/methodologies-and-limitations

Data providers

Groundsure works with respected data providers to bring you the most relevant and accurate information in your Review report. To find out who they are and their areas of expertise see www.groundsure.com/sources-reference .

Conveyancing Information Executive and our terms & conditions

IMPORTANT CONSUMER PROTECTION INFORMATION

This search has been produced by Groundsure Ltd. Groundsure adheres to the Conveyancing Information Executive Standards.

In addition to The Property Ombudsman (TPO) redress scheme covering consumers, TPO will also provide redress to small businesses (including Charities and Trusts) and where the customer meets the following criteria:

- a small business (or group of companies) with an annual turnover of less than £3 million;
- a charity with an annual income of less than £3 million;
- a Trust with a net asset value of less than £3 million.

Complaints Advice

If you have a query or complaint about your search, you should raise it directly with the search firm, and if appropriate ask for any complaint to be considered under their formal internal complaints procedure.

If you remain dissatisfied with the firm's final response, after your complaint has been formally considered, or if the firm has exceeded the response timescales, you may refer your complaint for consideration under The Property Ombudsman scheme (TPOs). The Ombudsman can award up to £5,000 to you if the Ombudsman finds that you have suffered actual financial loss and/or aggravation, distress or inconvenience as a result of your search provider failing to keep to the Standards.

Please note that all queries or complaints regarding your search should be directed to your search provider in the first instance, not to TPOs.

COMPLAINTS PROCEDURE: If you want to make a complaint, we will:

- acknowledge it within 5 working days of receipt
- normally deal with it fully and provide a final response, in writing, within 20 working days of receipt
- liaise, at your request, with anyone acting formally on your behalf

Complaints should be sent to:

Operations Director, Groundsure Ltd, Nile House, Nile Street, Brighton, BN1 1HW. Tel: 01273 257 755.

Email: info@groundsure.com

If you are not satisfied with our final response, or if we exceed the response timescales, you may refer the complaint to The Property Ombudsman scheme (TPOs): Tel: 01722 333306, E-mail: admin@tpos.co.uk

We will co-operate fully with the Ombudsman during an investigation and comply with their final decision.

Groundsure's Terms & Conditions can be viewed here: www.groundsure.com/terms-and-conditions-april-2023/

All of the advice and reports that Groundsure produces are covered by a comprehensive Remediation Contribution policy to ensure customers are protected, see www.groundsure.com/remediation for full details.